

Product Name: REBEL Havoc (Black or Brown Available)
 Product Description: REBEL Platinum Range
 Product Code: RE651BR

REBEL

SAFETY GEAR

AFRICA'S HARDEST WORKING BOOTS



Materials

CE EN ISO 20345:2011-S1



Upper Full Grain, High Quality Waxy Smooth Leather with PU Collar and TPU Back-Counter Reinforcing
Footbed Lining Extra Thick Anti-Static Footbed with Poron Padding
 Breathable and Abrasion Resistant Tai-brelle (Equivalent to Cambrelle)

Toe Cap
Eyelets
Sole

Steel Toe Cap - Tested to 200J
 Hexbuttons with Climbing Hooks
 Dual Density PU/Rubber Heat-Resistant Sole

Specifications

- Specifications**
 - ISO European Norm EN20345-S1, HRO
 - Tested by INTERTEK - Approved Body Identification Number : 0362
- Special Features**
 - Sole resistant to 300°C (degrees Celsius)
- Sole**
 - Temperature Maximum 300°C (degrees Celsius)
 - Oil and acid resistant PU/Rubber
 - Slip Resistance - Tested to SATRA PM144 1992 and meets these requirements
However, care should always be taken on wet or oily surfaces
 - Crack Resistance - Tested to 30,000 flex cycles
- Toe Cap**
 - Tested to an impact resistance of 200 Joules
- Anti Static Properties**
 - Product is anti static. If application is life critical additional consultation with product expert is required. Electrical resistance can be significantly changed by flexing, contamination or moisture. Introduction of additional inner sole reduces static resistance
- Sizing**
 - Available from Size 4 to Size 13 (Unisex)
- Lifespan**
 - The application determines the length of service that should be achieved. Normal environments should provide 12 months' service, if appropriate care is taken. Refer Care guidelines

Uses

Suitability

Comments

Uses	Suitability	Comments
General	Widely used	
Construction	Highly suitable	
Mining	Highly suitable	Care in very wet areas required. Gumboots would be more suitable for wet area applications
Petrochemical	Widely used	
Engineering	Highly suitable	
Power Generation	Highly suitable	
Agriculture	Not Required	
Food & Health	Not Required	
Fishing & Allied Industries	Not Required	
Fabrication	Widely used	
Metal Industries	Highly suitable	
Motor Industry	Widely used	
Glass Manufacturing & Fabrication	Widely used	Steel midsole advised to protect against glass penetration of the sole - (Ref: RE608-S3, RE210-S3, RE424, RE425, FX2-S1P)
Municipality	Not Required	
Waste Disposal	Not Required	
Civil Contracting	Widely used	
Moving and Rigging	Widely used	
Forestry	Not Required	
Telecommunications	Not Required	
Contract Labour	Widely used	
Transport - Air, Road & Rail	Not Required	
Transport - Shipping	Not Required	

It is important that the footwear selected must be suitable for the protection required by the wearer and the environment. If any uncertainty exists consultation between buyer and seller should be conducted to ensure that the correct footwear is selected. This application guide only offers very general advice and should be confirmed if there may be any concerns over potential protection from hazards of any form.

To view the complete REBEL Safetygear range, please visit: www.rebelsafetygear.com